



POOL & SPA CATALOG

12711 NE 95TH ST., VANCOUVER, WA 98682 – PO BOX 1736, VANCOUVER, WA 98668-1736
PH:800-426-4311 – info@oryanindustries.com – www.oryanindustries.com



LIGHTS BY O'RYANTM

12711 NE 95TH ST. (ZIP 98682) P.O. BOX 1736 VANCOUVER WA 98668-1736 1-800-426-4311
WWW.ORYANINDUSTRIES.COM

3in 1 LED POOL LIGHT BOARDS

3in 1 LED pool light boards are a series of products that are specifically designed for pool light use by adopting SMD technology. Apart from the wide-beaming angle, higher luminous flux, lower luminous decay and better color consistency, all the boards are AC Sync models which allow you to sync all the units at site! What's more: the boards contain up to 9 different color modes which will definitely make them ideal products for parties, events and other entertainment occasions.

Technical features:

- 12V AC Input
- Multi-color 3in 1 5050 SMD LED's (red, blue, green or white)
- 120 degree light beam
- Built-in IC with a 9-color sequence (for RGB models)
- Constant current (72s, 202s) and constant voltage (10s, 28s) design
- 50,000+ hours life expectancy
- AC SYNC



Specifications:

Part Number	Diameter (mm)	LED	Color	Voltage (V AC)	Lumen Output (LM)	Beam Angle (Degrees)	Power Consumption (Watt)	Material
10s	34.60	6PCS 5050 SMD LED	RGB	12	56	120	1.6 Max	FPC
28s	45.00	12PCS 5050 SMD LED	RGB	12	113	120	2.4 Max	FPC
72s	72.50	30PCS 5050 SMD LED	RGB	12	280	120	7.4 Max	FPC
202s	163.00	84PCS 5050 SMD LED	RGB	12	790	120	14.5 Max	FPC



AQUASTAR 10S-3


HYDROSTAR 28S-

2500 Series 72S-3

STARBURST 202S- 12 V



PoolStar™ 1000





1) 3 1/4" LED Bulb Assembly	4) 4- 3/16" O.D. Gasket	7) Niche Can Nut
2) 3-5/8" O.D. Gasket	5) Pool Wall	8) Niche Can Bottom
3) Light Niche Can Top	6) Compensator Ring	9) PS 1000 Power Supply

12711 NE 95TH ST., VANCOUVER, WA 98682 – PO BOX 1736, VANCOUVER, WA 98668-1736
 PH: 800-426-4311 – info@oryanindustries.com – www.oryanindustries.com



PoolStar™ 2500



1. LED Bulb Assembly
2. 4 1/2" O.D. Gasket
3. Light Niche Can Top

4. 5 1/2 O.D. Gasket
5. Compensator Ring
6. Niche Can Nut

7. Niche Can Bottom
8. 2500 Power Supply

***Items not shown:**

3/4" PVC Spig Plug (x1) for capping off connection
Wire Nuts (x2) for making electrical connection


#6 x 3/4" Screw (x2) for mounting power supply

Silicone lubricant (x2) for lubricating gasket
Housing Tool (x1) for servicing LED Bulb assembly
Metal Strain Relief (x1) for clamping onto light cord

PoolStar™ 2500 VL

Model # SP-2500VL

Instructions for the In-Ground Pool Light Large Niche




1) #8 x 5/8" screws (x6)	4) LED Bulb assembly	7) Vinyl Liner Niche can	10) Niche Can back
2) Vinyl Liner Niche can top	5) 4 - 3/16" O.D. Gasket	8) Compensator ring	11) 2500 Power supply
3) Grip gasket	6) Grip Gasket	9) Niche Can nut	

*Items not shown:

- 3/4" PVC Spig Plug (x1) for capping off connection
- #6 x 3/4" Screw (x2) for mounting power supply
- Silicone lubricant (x2) for lubricating gasket
- Metal Strain Relief (x1) for clamping onto light cord
- Wire Nuts (x2) for making electrical connection
- Housing Tool (x1) for servicing LED Bulb Assembly



FOR EVERY ABOVE GROUND POOL
"THERE IS A LIGHT"



PoolStar 3000™

- * UL LISTED
- * ONE YEAR WARRANTY
- * EASILY CUSTOMIZABLE
- * LOW COST
- * EASY TO INSTALL
- * LOW VOLTAGE

12711 NE 95TH ST., VANCOUVER, WA 98682 – PO BOX 1736, VANCOUVER, WA 98668-1736
PH: 800-426-4311 – info@oryanindustries.com – www.oryanindustries.com

POOLSTAR™ SERIES

for vinyl lined pools.
12 volt LED technology with
multiple light configurations
and synchronization.



PoolStar™ 1000

- Niche cans for 3" opening
- 70' of cordage
- 150 sq.' of illumination


PoolStar™ 2500

- Niche cans for 4" opening
- 70' of cordage
- 250 sq.' of illumination



info@oryanindustries.com
800.426.4311

Light Wall Fittings



HydroStar™ Body


(Front Entry Application)

Hole Size ~ 2-1/2"

Face ~ 3-1/4" diameter

Thread Length ~ 1-1/2"

(Also Available in Long Body Thread Length ~ 2")



AquaStar™ Body


(Rear Entry Application)

Hole Size ~ 2-1/2"

Face ~ 3-1/4" diameter

Thread Length ~ 1-1/2"

(Available with larger face ~ 3-3/4" Diameter)



BabyStar™ Body

(Rear Entry Application)

Hole Size ~ 1-1/2"

Face ~ 2-3/8" diameter

(Front Mount Available) Thread Length ~ 1-3/8"



2500 Series Body

Hole Size ~ 3-5/8"

Face ~ 5" diameter

Thread Length ~ 1-7/8"

All items can be sold separately or in completed kits. We offer customized configurations, colors, & sizes. With our in-house tooling ability, every inquiry is considered.

Part Description Legend

A. Body (*2-part assembly is Front Entry only)

B. Gasket

C. Nut

D. Reflector

E. Optional Compensator Ring

Available Colored Filters (Red, Blue, Green, Amber, Purple)



HydroStar™ ABS Long Body

180000B00000* (INCLUDES REFLECTOR, NOT SHOWN)**

FEATURES:

*FRONT ENTRY APPLICATION

*HOLE SIZE 2 ½"

*FACE 3 ¼" DIAMETER

*THREAD LENGTH 2 ½"

PART CAN BE SOLD SEPARATELY
(P0033) OR IN A COMPLETE KIT
(180000B00J00) BLACK

WE OFFER CUSTOMIZED
CONFIGURATIONS & COLORS, TYPICAL
COLORS: WHITE, BLACK, OR BROWN

EVERY INQUIRY IS CONSIDERED

***OUR PART NUMBER HAS BEEN
EDITED TO REFLECT WHICH COLOR IN
THE 10th (HIGHLIGHTED) POSITION,

J=BLACK	(P0033)
K=BROWN	(P0034)
L=WHITE	(P0037)
M=GREY	(P0035)
R=DK GREY	(P0036)



Bulbs

Standard Low Voltage (12V) Wedge-base
Incandescent
~ 912 (12W) ~ 918 (07W)



Standard Low Voltage (12V) Halogen
~ 10W ~ 20W



With several models to choose from, StarBurst™ Series LED lights combines high quality brilliant lighting with the efficiency and cost savings of LED technology. Fully retrofittable, StarBurst™ lights require 1/10 the electricity of standard halogen and incandescent lighting options and is backed by a 1-year warranty.

StarBurst™ S-Series : Stationary Colors: Bright White, Aqua Blue, Soothing Violet, Ocean Blue, Majestic Gold, Shamrock Green, Fiery Red, Chameleon Mode, Party Mode.

StarBurst™ R-Series: Continual Slow Color-Washing Chameleon Mode.

StarBurst™ W-Series: The Brightest 5 mm All-White LEDs available



Starburst™ 18R



Starburst™ 28S



Starburst™ 32W



Starburst™ 72S



Starburst™ 202S



Starburst™ 72S

Light Harnesses

The standard wedge-base socket lead is a “twist-n-lock” style housing. Light harnesses come in a variety of sizes and styles. Customizable wire lengths / plugs / connector assemblies



Standard O'Ryan 8' Light Harness
22/7 gauge 600v rated leads



Standard O'Ryan 8'K Light Harness
22/7 gauge 600v rated leads
Attached male 2-prong AMP plug




Standard Blower Cord Light Harness
18/2 gauge Jacketed



Standard Halogen Light Harness
Fits bases: G4 / G5.3 / G6.35



Transformers / Power Supplies



UL / CSA / TUV approved Raw Transformers

Input : 120v ~ Output : 20 watt

36va* models

Input : 240v ~ Output : 30 watt



Custom UL, CSA, and TUV (RoHS/WEEE) power supplies available. All power supplies come in our standard ABS, sonic welded housing with labeled input/output ratings. Options include, but not limited to:

- Customized “Primary” cord types, cord lengths, quick slides, amp plugs.
- Customized “Secondary” lead types (standard, halogen, jacketed etc.) and lengths
- Switches: Mechanical and Air
- Mounting Options: Hanger or Mounting Tabs

Samples of available cordage

Pig-Tailed



Nema



Blower

ProGrip™

The ProGrip™ Grab-Rail system from O’Ryan eliminates the time consuming chore of installing grab-rails in spas, tubs, and shower enclosures. This durable flexible vinyl component eliminates tedious finish work and provides an attractive, permanent, leak proof bond to your bar and enclosure. Available to accept 7/8” and 1” rod diameters. Custom colors available.

Stock Colors: Clear, Bone White, Biscuit, Gray.



StarBar™ (Acrylic Rods)

Acrylic handrails are available in 1” diameters with custom sizes of 6” ~ 30”. StarBars™ come in the standard clear and are available frosted. Combine your StarBar™ with O’Ryan’s standard or LED lighting kit and watch your grab-rail come to life!





Misc. Items



SW-1

(Rubber covered button 1-1/4" mounting hole)




O'Ryan Lens Pack

Red, Blue, Amber, Purple, and Green

Available for all size housings


Private Labeling Available



Air Switches



Replacement Mechanical Switch



PoolStar™ 3000

"Through the wall" above ground pool light



In-ground Underwater Lighting



PoolStar™ Series Lights

Completely self-contained, pool lighting fixture for in-ground pools. Featuring Starburst™ Series LEDs, this innovative lighting system operates on a 12-volt system which eliminates the 120-volt power presence .

PoolStar™ Advantages

- Robust power supply able to run multiple units in synchronization
- No potting compound, double ground wires, or additional installation inspections are required
- 1/10 the power of a standard halogen/incandescent lighting system
- Easy primary installation without requiring any new tooling
- Generates virtually no heat
- Energy efficient, the Starburst™ 72 LED uses 1/10 the power of a standard halogen / incandescent lighting systems
- 100,000 hours bulb life
- Incorporates Starburst™ Series LEDs.
- Synchronizable without additional wiring or control devices



PoolStar™ VL Series (for Vinyl Liners)

Standard Power Supply Kits



Blank Cords

Part Number	Description
00334BI1J00B	120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / 912 Bulb
00534BI4J00C	220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / 912 Bulb

Blank Cords with Air Switch

Part Number	Description
00534BK1J00B	120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / with Air Switch / 912 Bulb
005300K4J00C	220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / with Air Switch

Nema Cords

Part Number	Description
00324BI1J00B	120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket
00524BI4J00C	220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket

Nema Cords with Air Switch

Part Number	Description
00524BK1J00B	120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch
00524BK4J00C	220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch

Standard Spa Light Power Supply Kits Blank Plug

AquaStar™ Series



Spa Light Power Supply Kits

Part Number	Description
10334BI1J00B	AquaStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket
1033A0I1J00B	AquaStar™ Assembly Complete / Starburst™ 10S / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket
1053WBI2K00B	AquaStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Hal. Socket
10534BI4J00C	AquaStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket
1053A0I4J00C	AquaStar™ Assembly Complete / Starburst™ 10S / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket
1053WBI4K00C	AquaStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Hal. Socket

With Air Switch

Part Number	Description
10534BK1J00B	AquaStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / with Air Switch
1053A0K1J00B	AquaStar™ Assembly Complete / Starburst™ 10S / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / with Air Switch
1053WBK2K00B	AquaStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Hal. Socket / with Air Switch
10534BK4J00C	AquaStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / with Air Switch
1053A0K4J00C	AquaStar™ Assembly Complete / Starburst™ 10S / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / with Air Switch
1053WBK4K00C	AquaStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Hal. Socket / with Air Switch

Standard Spa Light Power Supply Kits Nema Plug

AquaStar™ Series



Spa Light Power Supply Kits

Part Number	Description
10324BI1J00B	AquaStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket
1032A0I1J00B	AquaStar™ Assembly Complete / Starburst™ 10S / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket
1052WBI2K00B	AquaStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Hal. Socket
10524BI4J00C	AquaStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket
1052A0I4J00C	AquaStar™ Assembly Complete / Starburst™ 10S / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket
1052WBI4K00C	AquaStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Hal. Socket

With Air Switch

Part Number	Description
10524BK1J00B	AquaStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch
1052A0K1J00B	AquaStar™ Assembly Complete / Starburst™ 10S / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch
1052WBK2K00B	AquaStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Hal. Socket / with Air Switch
10524BK4J00C	AquaStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch
1052A0K4J00C	AquaStar™ Assembly Complete / Starburst™ 10S / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch
1052WBK4K00C	AquaStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Hal. Socket / with Air Switch

Standard Spa Light Power Supply Kits Blank Plug

HydroStar™ Series



Spa Light Power Supply Kits

Part Number	Description
15334BI1J00B	HydroStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket
1533A011J00B	HydroStar™ Assembly Complete / Starburst™ 10S / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket
1553WBI2K00B	HydroStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Hal. Socket
15534BI4J00C	HydroStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket
1553A014J00C	HydroStar™ Assembly Complete / Starburst™ 10S / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket
1553WBI4K00C	HydroStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Hal. Socket

With Air Switch

Part Number	Description
15534BK1J00B	HydroStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / with Air Switch
1553A0K1J00B	HydroStar™ Assembly Complete / Starburst™ 10S / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / with Air Switch
1553WBK2K00B	HydroStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 120v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Hal. Socket / with Air Switch
15534BK4J00C	HydroStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / with Air Switch
1553A0K4J00C	HydroStar™ Assembly Complete / Starburst™ 10S / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Socket / with Air Switch
1553WBK4K00C	HydroStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 220v ~ 12v Power Supply / 3' Blank Cord / Standard 8' Hal. Socket / with Air Switch

Standard Spa Light Power Supply Kits Nema Plug

HydroStar™ Series



Spa Lights Power Supply Kits

Part Number	Description
15324BI1J00B	HydroStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket
1532A0I1J00B	HydroStar™ Assembly Complete / Starburst™ 10S / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket
1552WBI2K00B	HydroStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Hal. Socket
15524BI4J00C	HydroStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket
1552A0I4J00C	HydroStar™ Assembly Complete / Starburst™ 10S / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket
1552WBI4K00C	HydroStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Hal. Socket

With Air Switch

Part Number	Description
15524BK1J00B	HydroStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch
1552A0K1J00B	HydroStar™ Assembly Complete / Starburst™ 10S / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch
1552WBK2K00B	HydroStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 120v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch
15524BK4J00C	HydroStar™ Assembly Complete / Red & Blue Lens / 912 Bulb / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch
1552A0K4J00C	HydroStar™ Assembly Complete / Starburst™ 10S / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Socket / with Air Switch
1552WBK4K00C	HydroStar™ Assembly Complete / Red & Blue Lens / 20w Halogen Bulb / 220v ~ 12v Power Supply / 3' Nema Cord / Standard 8' Hal. Socket / with Air Switch

INTRODUCING
ILumeStar™ StarBurst™



**Sea Turtle Safe
Amber LED Lighting**

**O'Ryan Industries, Inc. proudly introduces our ILumeStar™
Line of Sea Turtle-Safe Certified LED Lighting Products.**



Five (5) year warranty from date of purchase

**All applications meet the general turtle-safe lighting environment.
Florida Fish and Wildlife Conservation Certified.**

RESIDENTIAL AND COMMERCIAL APPLICATIONS

Fountains >> Lakes >> Swimming Pools

Casinos >> Hotel >> Offices >> Restaurants >> Spas >> Resorts

TECHNICAL SPECIFICATIONS

12V & 120V AC Input | Unique Turtle-Safe Wave Length

Working Temperature -25°C~50°C

***35 year history of innovation and forward thinking
in the pool and spa lighting market.***

The Evolutionary Breakthrough in Underwater Lighting

Introducing the PoolStar™ 3000 Series—the most highly evolved pool lights under the stars. The 3000 Series is a complete self-contained lighting fixture that combines unmatched performance, efficiency and flexibility. In OEM and retrofit applications, it delivers brilliant, synchronizable color combined with the safety and longevity of a 12 volt system. The 3000 Series is the simple and economical change for which you have been searching.

PoolStar 3000 Series

SP 1000

SP 1000VL

SP 2500

SP 2500VL

SP 3000



- ♦ 12 volt (7.5 watts) low voltage lighting system
- ♦ StarBurst LED light
- ♦ 100,000 hours bulb life
- ♦ Synchronizable without additional wiring or control devices
- ♦ 9 color modes: Vibrant still colors; gentle chameleon colors, and a pulsating party mode
- ♦ Durable, rust-free plastic 2.5" niche can
- ♦ Power supply with 70' of cord, standard
- ♦ Models for above-ground, vinyl liner, and below-ground pools



**O'RYAN**
INDUSTRIES



The Evolutionary Breakthrough in Underwater Lighting

Introducing PoolStar™1000—the most highly evolved spa light under the stars. The 1000 Series is a complete self-contained lighting fixture that combines unmatched performance, efficiency and flexibility. In OEM and retrofit applications it delivers brilliant, synchronizable color, combined with the safety and longevity of a 12 volt system. The 1000 Series is the simple and economical change for which you have been searching.

POOLSTAR™1000

- 12 volt (7.5 watts) low voltage lighting system
- Starburst™ 28S LED Light
- 9 color modes: Vibrant still colors, gentle chameleon colors and a pulsating party mode
- Synchronizable without additional wiring or control devices
- 100,000 hours bulb life
- Over 150 sq ft of illumination
- Durable, rust-free plastic 2.5 inch niche can
- Power supply with 70 ft of cord standard



sales@oryanindustries.com